

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"5802105".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 10:18
L2	10489	(test\$4 same (packet or cell or frame) same channel ) and (@rlad<"20011210" or @ad<"20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L3	1259	(test\$4 same (packet or cell or frame) same channel ). ab. and (@rlad<"20011210" or @ad<"20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L4	16	(test\$4 same (packet or cell or frame) same channel ). ab. and (((forward or downlink) same (reverse or uplink)) with channel) and (@rlad<"20011210" or @ad<"20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L5	128	((MS or mobile) with (send \$5 or transmit\$4) with (test) with (result or statistic)) and (@rlad<"20011210" or @ad<"20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L6	2	"5357557".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L7	6	((MS or mobile) with (send \$5 or transmit\$4) with (test) with (result or statistic)) and (sequence adj number) and (updat\$4 same (variable or parameter or counter)) and (@rlad<"20011210" or @ad<"20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07

L8	14	((MS or mobile) same (send \$5 or transmit\$4) same (test) same (result or statistic)) and (sequence adj number) and (updat\$4 same (variable or parameter or counter)) and (@rlad<"20011210" or @ad<"20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L9	8	((MS or mobile) same (send \$5 or transmit\$4) same (test) same (result or statistic)) and (sequence adj number) and (updat\$4 same (variable or parameter or counter)) and (@rlad<"20011210" or @ad<"20011210") not L7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L10	859516	(test\$4).ab. or (test\$4).ti. and ((test adj (packet or cell or frame)) same3 (sequence adj number)) and (@rlad<"20011210" or @ad<"20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L11	859516	(test\$4).ab. or (test\$4).ti. and ((test adj (packet or cell or frame)) same (sequence adj number)) and (@rlad<"20011210" or @ad<"20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L12	29	((test\$4).ab. or (test\$4).ti.) and ((test adj (packet or cell or frame)) same (sequence adj number)) and (@rlad<"20011210" or @ad<"20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L13	2	"5271000".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L14	4622	(test\$4 with control with channel) and (@rlad<"20011210" or @ad<"20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L15	170	(test\$4 with control with channel) and wireless.ab. and (@rlad<"20011210" or @ad<"20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07

L16	16	(test\$4 with control with channel).ab. and wireless.ab. and (@rlad<"20011210" or @ad<"20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L17	2	"6122505".pn. and (@rlad<"20011210" or @ad<"20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L18	31	(test\$4 with signal\$5 with channel).ab. and wireless.ab. and (@rlad<"20011210" or @ad<"20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L19	76	(test\$4 with (signal\$5 or control) with data with channel) and wireless.ab. and (@rlad<"20011210" or @ad<"20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L20	2	"5802105".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L21	0	Sakadura.inv. and "100111001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L22	0	Sakadura.in. and "100111001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L23	0	Sakadura and "100111001"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L24	1	Sakadura	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07

L25	0	"exchange 20 upon making the call C5"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L26	1	exchange adj "20" adj upon adj making adj2 call adj "C5"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L27	10626	((test\$4 with channel).ab. or (test\$4 with channel).ti.) and (@rlad<"20011210" or @ad<"20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L28	50	((test\$4 with channel).ab. or (test\$4 with channel).ti.) and ((message or packet or frame) same (test with (setting or setup))) and (@rlad<"20011210" or @ad<"20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L29	94	((test\$4 with channel).ab. or (test\$4 with channel).ti.) and ((message or packet or frame) same (test with (setting or setup or parameters or configuration))) and (@rlad<"20011210" or @ad<"20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L30	12	((test\$4 with channel).ab. or (test\$4 with channel).ti.) and ((message or packet or frame) same (test with (setting or setup or parameters or configuration))) and (reverse or uplink) and (forward or downlink) and (@rlad<"20011210" or @ad<"20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L31	31	((test\$4 with channel).ab. or (test\$4 with channel).ti.) and ((message or packet or frame) same (length or sequence)) and (reverse or uplink) and (forward or downlink) and (@rlad<"20011210" or @ad<"20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07

L32	20	((test\$4 with channel).ab. or (test\$4 with channel).ti.) and ((test or loopback) same (message or packet or frame) same (length or sequence)) and (reverse or uplink) and (forward or downlink) and (@rlad<"20011210" or @ad<"20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L33	11	((test\$4 with channel).ab. or (test\$4 with channel).ti.) and ((message or packet or frame) same (length or sequence)) and (reverse or uplink) and (forward or downlink) and (@rlad<"20011210" or @ad<"20011210") not L32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L34	8	((test\$4 with channel).ab. or (test\$4 with channel).ti.) and (loopback same (message or packet or frame) same (length or sequence)) and (@rlad<"20011210" or @ad<"20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L35	2	"6766164".pn. and (@rlad<"20011210" or @ad<"20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L36	798	(loopback adj test\$4) and (@rlad<"20011210" or @ad<"20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L37	19	((loopback adj test\$4) with (period or interval)) and (@rlad<"20011210" or @ad<"20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L38	2	"6031845".pn. and (@rlad<"20011210" or @ad<"20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07

L39	2	"5271000".pn. and (@rlad<"20011210" or @ad<"20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L40	2	"6014377".pn. and (@rlad<"20011210" or @ad<"20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L41	2	"7110466".pn. and (@rlad<"20011210" or @ad<"20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L42	2	"6687499".pn. and (@rlad<"20011210" or @ad<"20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L43	2	"5802105".pn. and (@rlad<"20011210" or @ad<"20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L44	2	"6799203".pn. and (@rlad<"20011210" or @ad<"20011210")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/25 12:07
L45	17	(US-20030131297-\$ or US- 20020009134-\$ or US- 20090147671-\$).did. or (US- 7289604-\$ or US-6680913-\$ or US-5802105-\$ or US- 5521904-\$ or US-6185191-\$ or US-5898674-\$ or US- 5742589-\$ or US-3922508-\$ or US-6766164-\$ or US- 5271000-\$ or US-6014377-\$ or US-7110466-\$ or US- 6687499-\$ or US-6799203-\$).did.	US-PGPUB; USPAT	OR	ON	2010/03/25 12:07

L46	4	((loopback and rate) and ((US-20030131297-\$ or US-20020009134-\$ or US-20090147671-\$).did. or (US-7289604-\$ or US-6680913-\$ or US-5802105-\$ or US-5521904-\$ or US-6185191-\$ or US-5898674-\$ or US-5742589-\$ or US-3922508-\$ or US-6766164-\$ or US-5271000-\$ or US-6014377-\$ or US-7110466-\$ or US-6687499-\$ or US-6799203-\$).did.)	US-PGPUB; USPAT	OR	ON	2010/03/25 12:07
-----	---	--	--------------------	----	----	---------------------

3/ 25/ 2010 12:13:48 PM

C:\Documents and Settings\sahmed\My Documents\EAST\Workspaces\10015926-Jan-15-2009.  
wsp